

# WEST

[Generate Collection](#)[Print](#)

L31: Entry 1 of 5

File: USPT

Feb 25, 2003

US-PAT-NO: 6524626

DOCUMENT-IDENTIFIER: US 6524626 B2

TITLE: Ginseng berry topical products

DATE-ISSUED: February 25, 2003

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Chen; Jau-Fei	Orem	UT		

ASSIGNEE-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY	TYPE CODE
E Excel International, Inc.	Springville	UT			02

APPL-NO: 09/ 298702 [PALM]

DATE FILED: April 23, 1999

PARENT-CASE:

RELATED APPLICATIONS The following applications are being filed concurrently herewith on this 23<sup>rd</sup> day of April 1999 and are incorporated herein by reference: Title Atty Docket No. Express Mailing Label Nos. Cactus Fruit Skin 7537.0029 EL 113 362 519 US Care Products Cactus Fruit Drinks 7537.0026 EL 113 362 479 US and Food Products Ginseng Berry Drink 7537.0028 EL 113 362 482 US and Food Compositions Ginseng Berry Powder 7537.0030 EL 113 362 496 US Dietary Supplements Cactus Fruit Powder 7537.0031 EL 113 362 465 US Dietary Supplements

INT-CL: [07] A61 K 35/78

US-CL-ISSUED: 424/728

US-CL-CURRENT: 424/728

FIELD-OF-SEARCH: 424/401, 424/195.1, 424/74, 424/728, 252/367.1, 425/74, 99/495, 99/510, 99/514

PRIOR-ART-DISCLOSED:

U.S. PATENT DOCUMENTS

[Search Selected](#)[Search ALL](#)

	PAT-NO	ISSUE-DATE	PATENTEE-NAME	US-CL
<input type="checkbox"/>	<u>3227616</u>	January 1966	Van Wessem	
<input type="checkbox"/>	<u>4042720</u>	August 1977	Forkner	
<input type="checkbox"/>	<u>4078092</u>	March 1978	Nishiyama	426/584
<input type="checkbox"/>	<u>4276890</u>	July 1981	Fichera	131/270
<input type="checkbox"/>	<u>4361554</u>	November 1982	Saunders	
<input type="checkbox"/>	<u>4615900</u>	October 1986	Schenz et al.	426/590
<input type="checkbox"/>	<u>4732773</u>	March 1988	Schott	426/590
<input type="checkbox"/>	<u>4737367</u>	April 1988	Langer et al.	426/72
<input type="checkbox"/>	<u>4784847</u>	November 1988	Zulliger-Bopp et al.	424/69
<input type="checkbox"/>	<u>4795638</u>	January 1989	Ayache et al.	424/195.1
<input type="checkbox"/>	<u>5000949</u>	March 1991	Bias	
<input type="checkbox"/>	<u>5034226</u>	July 1991	Beck	424/195.1
<input type="checkbox"/>	<u>5171577</u>	December 1992	Griat et al.	424/450
<input type="checkbox"/>	<u>5230889</u>	July 1993	Inoue	424/195.1
<input type="checkbox"/>	<u>5290605</u>	March 1994	Shapira	424/439
<input type="checkbox"/>	<u>5466455</u>	November 1995	Huffstutler, Jr. et al.	424/401
<input type="checkbox"/>	<u>5470874</u>	November 1995	Lerner	514/474
<input type="checkbox"/>	<u>5565199</u>	October 1996	Page et al.	424/195.1
<input type="checkbox"/>	<u>5565207</u>	October 1996	Kashibuchi et al.	424/401
<input type="checkbox"/>	<u>5571503</u>	November 1996	Mausner	424/59
<input type="checkbox"/>	<u>5578312</u>	November 1996	Parrinello	
<input type="checkbox"/>	<u>5595743</u>	January 1997	Wu	424/195.1
<input type="checkbox"/>	<u>5618521</u>	April 1997	de Rigal et al.	424/59
<input type="checkbox"/>	<u>5643587</u>	July 1997	Scancarella et al.	424/401
<input type="checkbox"/>	<u>5663160</u>	September 1997	Meybeck et al.	514/182
<input type="checkbox"/>	<u>5665365</u>	September 1997	Bombardelli et al.	424/401
<input type="checkbox"/>	<u>5676956</u>	October 1997	Duffy et al.	424/401
<input type="checkbox"/>	<u>5676958</u>	October 1997	Emerson et al.	
<input type="checkbox"/>	<u>5720962</u>	February 1998	Ivy et al.	424/401
<input type="checkbox"/>	<u>5736584</u>	April 1998	Kunkel	514/919
<input type="checkbox"/>	<u>5738887</u>	April 1998	Wu	426/51
<input type="checkbox"/>	<u>5744187</u>	April 1998	Gaynor	426/599
<input type="checkbox"/>	<u>5747462</u>	May 1998	Fuentes	514/23
<input type="checkbox"/>	<u>5773014</u>	June 1998	Perrier et al.	424/401
<input type="checkbox"/>	<u>5817299</u>	October 1998	Manirazman	424/59
<input type="checkbox"/>	<u>5834044</u>	November 1998	Schmitz et al.	426/73
<input type="checkbox"/>	<u>5840309</u>	November 1998	Herstein et al.	424/195.1

FOREIGN PATENT DOCUMENTS

FOREIGN-PAT-NO	PUBN-DATE	COUNTRY	US-CL
1048799	January 1991	CN	
1076623	September 1993	CN	
1076624	September 1993	CN	
1076624	September 1993	CN	
1090988	August 1994	CN	
1097618	January 1995	CN	
1103779	June 1995	CN	
1114872	January 1996	CN	
1120410	April 1996	CN	
1125052	June 1996	CN	
1133142	October 1996	CN	
1211403	March 1999	CN	
27 03 189	August 1978	DE	
2703189	August 1978	DE	
4331252	May 1994	DE	
2 041 218	May 1994	ES	
2659014	September 1991	FR	
51115968	October 1976	JP	
52120154	October 1977	JP	
52120154	October 1977	JP	
58067151	April 1983	JP	
59227244	December 1984	JP	
58 67151	April 1986	JP	
61 85324	April 1986	JP	
61092530	May 1986	JP	
63 116669	May 1988	JP	
63192705	August 1988	JP	
5310527	November 1993	JP	
6271452	September 1994	JP	
7 267977	October 1995	JP	
8332028	December 1996	JP	
8333260	December 1996	JP	
9 249576	September 1997	JP	
97 032 503	July 1997	KR	
144830	February 1975	NL	
93/11779	June 1993	WO	
9507681	March 1995	WO	
96 27383	September 1996	WO	

#### OTHER PUBLICATIONS

Database CAPLUS on STN, AN 1987:633052, Bai et al., `Study on dammarane-type saponins of ginseng fruit--isolation and identification of two configurational isomers,` Kexue Tongbao, 32(8):536-9, 1987.\*

Database CAPLUS on STN, AN 1987:530921, Bai et al., `Ginseng fruits--isolation and identification of saponins GF-II and GF-III,` Jilin Daxue Ziran Kexue Xuebao, (2):117-20, 1987.\*

Google internet search results, Feb. 2001.\*

E. Excel Elemente Webpage, 1998.\*

Database CAPLUS on STN, AN 1988:626950, JP 62273991 A2, Tsutsumi, T., Nov. 1978.\*

Database CAPLUS on STN, AN 1984:435895, Matsuura et al., `Further studies on dammarane-saponins of ginseng roots,` Chem. Pharm. Bull., 32(3):1188-92, 1984.\*

Database CAPLUS on STN, AN 1982:578707, Besso et al., `Ginsenoside-Ra1 and ginsenoside-Ra2, new dammarane-saponins of ginseng roots,` Chem. Pharm. Bull., 30(7):2380-5, 1982.\*

Database CAPLUS on STN, AN 1978:412034, Pleinard et al., `Testing of Panaz ginseng C. A. Meyer,` Ann. Pharm. Fr., 35(11-12):465-73, 1977.\*

Chemical Abstracts AN 128:2008808 of JP 10072338, Lee, Sang Shung, 1998.\*

Database CAPLUS on STN, AN 1994:38051, Liu et al., `Preparation of ginseng fruit ginsenoside oral liquids`, abstract and key words, Zhongguo Yaxue Zazhi, 28(9):541-2, 1993.\*

Database CAPLUS on STN, AN 1993:513413, Zhao et al., `Chemical constituents of the fruit of Panax ginseng C.A. Meyer`, abstract and key words, Zhongguo Zhongyao Zazhi, 18(5):296-7, 1993.\*

Database CAPLUS on STN, AN 1992:466553, Zhao et al., `Isolation and identification of 20.RTM.-gnsenoside-Rh2 (an anticancer constituent) from the fruits of Panax ginseng C.A. Meyer`, abstract and key words, Zhongguo Zhongyao Zazhi, 16(11):678-9, 1991.\*

Database CAPLUS on STN, AN 1988:470393, Bai et al., `Study on ginseng fruits--identification of the saponins GF-I, GF-IV and GF-V,` abstract and key words, Kexue Tongbao, 33(5):379-81, 1988.\*

English translation of CN 1194104A (Wang et al.), Sep. 1998.\*

English translation of CN 87100825A (Wu), Aug. 1988.\*

English translation of CN 1070575 A (Ma et al.), Apr. 1993.\*

Derwent Abstracts, week 199645, AN 1996-453445, RU 2053272 C1 (Artyukov et al.), Jan. 1996.\*

Derwent Abstracts, week 199821, AN 1998-238295, RU 2091469 C1 (Artyulov et al.), Sep. 1997.\*

Database Derwent on West, week 197905, AN 1979-08268B, DE 2732749 A (Salome), Jan. 1979.\*

Database Derwent on West, week 199019, AN 1990-140136, CN 1033278 A (Fei et al.), Jun. 1989.\*

English language abstract for Chinese Patent No. 1125052, Jun. 1996.

English language abstract for Chinese Patent No. 1120410, Apr. 1996.

English language abstract for Chinese Patent No. 1076624, Sep. 1993.

English language abstract for Chinese Patent No. 1076623, Sep. 1993.

English language abstract for Chinese Patent NO. 1048799, Jan. 1991.

English language abstract for Japanese Patent 5310527, Nov. 1993.

English language abstract for Japanese Patent No. 6271452, Sep. 1994.

English language abstract for Japanese Patent No. 8332028, Dec. 1996.

English language abstract for Japanese Patent No. 63192705, Oct. 1988.

English language abstract for Japanese Patent No. 61092530, May 1986.

English language abstract for Japanese Patent No. 59227244, Dec. 1984.

English language abstract for Japanese Patent No. 58067151, Apr. 1983.

English language abstract for Chinese Patent No. 1133142, Oct. 1996.

English language abstract for Chinese Patent No. 1114872, Jan. 1996.

English language abstract for Chinese Patent No. 1103779, Jun. 1995.

English language abstract for Chinese Patent No. 1097618, Jan. 1995.

English language abstract for Japanese Patent No. 8333260, Dec. 1996.

English language abstract for Japanese Patent No. 6271452, Sep. 1994.

English language abstract for German Patent No. 4331252, May 1994.

English language abstract for French Patent No. 2659014, Sep. 1991.

English language abstract for German Patent No. 2703189, Aug. 1978.

English language abstract for Japanese Patent No. 52120154, Oct. 1997.

English language abstract for Japanese Patent No. 51115968, Oct. 1976.

English language abstract for Netherlands Patent No. 144830, Feb. 1975.

XP-002142524, AN 1966-03816F, Murray, E.P., PN ZA 6000062 A, no publication date.

English language abstract for Japanese Patent No. 52120154A, Derwent WPI on Dialog. AN 77-82194y/197746, Shizuoka-Prefecture (SHIZ-N), Oct. 8, 1977.

Patent application No. 934523, South Africa, Karsten, K.A., `Medicinal Preparation` No publication date.

ART-UNIT: 1617

PRIMARY-EXAMINER: Travers; Russell

ASSISTANT-EXAMINER: Berman; Alysia

#### ABSTRACT:

The present invention comprises novel combinations of ginseng berry juice and extracts combined with other skin nutrients and moisturizers which may be used to soften and moisturize the skin while providing essential vitamins and nutrients to the skin in a natural way.

9 Claims, 0 Drawing figures

BRIEF SUMMARY:

1 FIELD OF THE INVENTION

2 The present invention relates generally to the field of skin care products and more particularly to products and methods which deliver fresh vitamins and other nutrients to the skin by topical application of a novel, vitamin-rich fruit composition. The present invention comprises ginseng berry extract and other skin nutrients and, preferably, other skin nutrients and moisturizers which are beneficial to the skin.

3 BACKGROUND

4 Human skin is extremely susceptible to the temperature and humidity extremes of our environment. However, when skin care products are properly used to counteract adverse environmental conditions, skin can remain healthy and beautiful under a variety of extreme environmental conditions. The environmental factors that most often affect the skin adversely are ultraviolet radiation and humidity.

5 Ultraviolet radiation varies with time of day, from day to night, with seasons of the year and weather conditions. The geographic region where one lives and the climate will also affect the amount of radiation to which one's skin is exposed. The sun's rays can dry skin through direct moisture loss or through the effects of radiation on the skin which may cause tanning and burning as well as moisture loss.

6 Skin may also face adverse conditions in the workplace where excessive temperatures or low humidity may harm skin. Exposure to chemicals may also remove moisture from the skin causing damage and actual skin chafing and loss if not treated properly.

7 Consequently, a mild skin moisturizer that nourishes the skin with natural ingredients and that can be repeatedly applied to the skin is beneficial in areas where skin is particularly susceptible to environmental damage.

8 In addition to environmental factors, skin must also be properly nourished. Maintaining healthy skin requires maintenance of proper moisture in the skin as well as delivery of essential vitamins to the skin. Vitamins may be consumed in the diet or may be applied directly to the skin.

9 For some people, oral consumption of vitamin C, especially in large doses, can have detrimental side effects ranging from mouth irritation to overdose. Yet large doses are sometimes considered beneficial to provide the skin with an effective amount of vitamin C. Vitamin C promotes collagen synthesis through its free radical scavenging attributes and its enzyme reactions which, in turn, promotes wound healing and skin health. Vitamin C is also toxic to many cancer cells including melanoma and has been found to catalyze the immune reaction to viral and bacterial infections.

10 Natural skin care products and remedies are popular among health-conscious consumers today. Many people prefer to enhance their appearance and health with vitamins and other nutrients in a "natural" way from naturally occurring sources. "Natural" products including natural vitamins are now in high demand. These are vitamins which are found in a product in its natural state without vitamin supplements or vitamin "fortification." While fruit and vegetable juices are known to have high concentrations of vitamins in their natural state and are often a preferred source of vitamins for internal consumption, many natural fruit and vegetable products are largely overlooked as a topical skin application.

11 What is needed is a skin care product and method that delivers natural vitamins,

nutrients and other beneficial products to the skin without oral consumption and its adverse side-effects. Also needed is a natural product which can moisturize as well as nourish the skin.

12 SUMMARY AND OBJECTS OF THE INVENTION

13 Accordingly, it is an object of the present invention to provide a product and method which can deliver natural vitamins, skin nutrients and skin protectants to the skin in a topical application that nourishes and moisturizes the skin naturally.

14 The present invention comprises novel compositions of extracts from ginseng berry, herbs and preferably also other skin care ingredients which are mixed to form a topical application.

15 It is an object of preferred embodiments of the present invention to deliver natural vitamins to the skin.

16 It is another object of preferred embodiments of the present invention to deliver natural fruit and vegetable extracts to the skin so that the skin may benefit from natural vitamins, emollients and other healthful ingredients.

17 It is yet another object of preferred embodiments of the present invention to deliver natural and healthful herbs to the skin.

18 It is a further object of preferred embodiments of the present invention to moisturize the skin.

19 DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

20 The present invention may be embodied in other specific forms without departing from its spirit or essential characteristics. The described embodiments are to be considered in all respects only as illustrative, and not restrictive. The scope of the invention is, therefore, indicated by the appended claims, rather than by the foregoing description. All changes which come within the meaning and range of equivalency of the claims are to be embraced within their scope.

21 The present invention is directed towards skin care products and topical skin products containing juice from the ginseng berry. Although the ginseng root is sometimes used as an herbal supplement, the ginseng berry has been overlooked due, at least in part, to its high seed content. Ginseng berries contain a large number of seeds which make up a large percentage of the berry's volume. These seeds must be removed in order to make a liquid suitable for use in topical skin applications.

22 Laboratory analysis of the juice from ginseng berries used for preferred embodiments of the skin care products of the present invention shows a high concentration of essential vitamins. The following Table 1 gives the result of a laboratory analysis of the essential vitamins and ingredients found in ginseng berry juice.

TABLE 1

Riboflavin	171.9 ug/gram of product
Vitamin A	109 IU
Vitamin E	1.5 IU
Beta Carotene	16.9 IU

- 23 Advantageously, ginseng berry juice also acts as an anti-oxidant. Laboratory analysis reveals that one gram of ginseng berry contains 1.4 times more antioxidant than 10 mg of Vitamin C.
- 24 Modern machinery may be used to produce juice from ginseng berries, however one presently preferred method of the present invention comprises a manual process. In this process, whole ginseng berries are crushed in a press thereby removing the majority of the juice. The seeds are then removed from the juice by filtration through a coarse screen filter. When a solids-free liquid is desired, the juice is further filtered in a 0.2 micron micro-filtration system to remove even finer solids. Some solids content may be acceptable or desired to improve texture or add fiber to the final product. When this is the case, the micro-filtration step may be omitted.
- 25 After the juice has been extracted, it is preferably blended with other natural ingredients which may add moisturizing effects, provide UV protection, or provide other physiological benefits.
- 26 Application of natural herb products along with the beneficial vitamins contained in ginseng berry juice may also increase health and vitality. The effects of various herbs and plant products are beneficial to the nervous, digestive and circulatory systems as well as other physiological functions. Herbs which, when applied to the skin, are beneficial to one's health and vitality may be considered to be "natural skin supplements." The combination of herbal ingredients with healthful and rejuvenating ginseng berry juice products offers the health advantages of natural vitamins and herbs in an aromatic, pleasing and healthful skin application.
- 27 Ginseng root also has beneficial physiological effects. It is believed to help regulate blood pressure and increase the body's resistance to adverse physical, chemical and biological influences. Ginseng root can stimulate physical and mental activity and protect against the adverse effects of mental and physical stress. It may also improve concentration and stimulate brain cells. Ginseng root may be considered to be an herbal stimulant.
- 28 Ginseng root also has beneficial physiological effects. It is believed to help regulate blood pressure and increase the body's resistance to adverse physical, chemical and biological influences. Ginseng root can stimulate physical and mental activity and protect against the adverse effects of mental and physical stress. It may also improve concentration and stimulate brain cells. Ginseng root may be considered to be a natural skin supplement. In the prior art, like some vitamins, ginseng root is often offered in capsules or tablets in a raw form. This can be difficult for some to ingest due to gag reflexes, physical impairment or psychological aversion to tablet or capsule consumption. A topical skin application allows a user to benefit from many of the beneficial effects of ginseng root without the requirement of ingesting the substance.
- 29 Preferred embodiments of the present invention combine the juice of ginseng berries with herbal supplements and stimulants and/or other natural skin supplements to create an application that has pleasurable sensory effect on the user and which provides a great variety of ingredients essential to health and vitality.
- 30 Other products within the scope of the present invention may be created from ginseng berry juice. Ginseng berry juice may be concentrated by known techniques to form a concentrated extract or syrup. This concentration may be performed on the pure juice of the ginseng berry or it may be performed after mixing the juice with natural skin supplements or other ingredients. The concentrated extract or syrup may then be diluted with water to return it to a juice state as needed. When more fiber or texture is desired, the final filtration step of the juice making process using a 0.2 micron filter may be omitted or replaced with a step which utilizes a coarser filter. Alternatively, fiber and texture producing ingredients may be added as needed.
- 31 The novel method and composition of the present invention allows users to apply

natural vitamins, anti-oxidants and emollients directly to the skin.

- 32 The following tables further illustrate the ingredients currently used in the certain presently preferred embodiments. Ingredients listed in these tables are given by weight percentage of the total mixture.

DETAILED DESCRIPTION:

1 EXAMPLE 1

Replenishing Masque for Dry Skin

Ginseng ( <u>Panax Ginseng</u> ) Berry Extract	11%
Water	28.9%
SD Alcohol 40B	10%
Glycerin	7%
Hybrid Sunflower (Helianthus Annuus) Oil	6%
Polyacrylamide	5%
C13-14 Isoparaffin	5%
Laureth-7	5%
Cyclomethicone	5%
Grape (Vitis Vinifera) Seed Extract	3%
Ginseng (Panax Ginseng) Root Extract	2%
Avocado (Persea Gratissima)	1%
Cucumber (Cucumis Sativus)	1%
Jasmine (Jasminum Officinale)	1%
Orange (Citrus Aurantium Dulcis) Peel	1%
Flowery Knotweed (Polygonum Aviculare)	1%
Hibiscus Sabdariff	1%
Mulberry (Morus Alba) Leaf	1%
Riboflavin (Vitamin B2)	1%
Tocopheryl Acetate (Vitamin E Acetate)	1%
Niacin (Vitamin B3)	1%
Pantothenic Acid (Provitamin B5)	1%
Disodium Edta	0.1%
Phenoxyethanol	0.2%



Methylparaben	0.2%
Butylparaben	0.2%
Ethylparaben	0.2%
Propylparaben	0.2%

## 2 EXAMPLE 2

### Intensive Night Repair

Ginseng ( <u>Panax Ginseng</u> ) Berry Extract	12%
Water	33.9%
Shea Butter (Butyrospermum Parkii)	4.5%
Glycerin	4.5%
Cyclomethicone	4.5%
Isopropyl Palmitate	4%
Glyceryl Stearate	4%
Stearic Acid	4%
Sodium Behenoyl Lactylate	4%
Grape (Vitis Vinifera) Seed Extract	4%
Ginseng (Panax Ginseng) Root Extract	4%
Avocado (Persea Gratissima)	2%
Cucumber (Cucumis Sativus)	2%
Jasmine (Jasminum Officinale)	2%
Orange (Citrus Aurantium Dulcis) Peel	2%
Flowery Knotweed (Polygonum Aviculare)	1%
Hibiscus Sabdariff	1%
Mulberry (Morus Alba) Leaf	1%
Pyridoxine (Vitamin B6)	1%
Riboflavin (Vitamin B2)	1%
Tocopheryl Acetate (Vitamin E Acetate)	1%
Pantothenic Acid (Provitamin B5)	1%
Xanthan Gum	0.2%
Carbomer	0.2%

Disodium Edta	0.2%
Phenoxyethanol	0.2%
Methylparaben	0.2%
Butylparaben	0.2%
Ethylparaben	0.2%
Propylparaben	0.2%
Triethanolamine	0.2%

### 3 EXAMPLE 3

#### Revitalizing Facial Cleanser

Ginseng ( <u>Panax Ginseng</u> ) Berry Extract	9%
Water	54.5%
Sodium Cocoyl Isethionate	5%
Sodium Methyl Cocoyl Taurate	4%
PEG-8	4%
Octyldodecyl Benzoate	3.5%
Myristic Acid	3%
Glyceryl Stearate SE	3%
Ginseng (Panax Ginseng) Root Extract	3%
Chrysanthemum Coccineum	1%
Cucumber (Cucumis Sativus)	1%
Sage (Salvia Officinalis)	1%
Grapefruit (Citrus Grandis) Peel	1%
Kiwi (Actinidia Chinensis)	1%
Lemon (Citrus Medica LI)	1%
Algae	1%
White Water Lily (Nymphaea Alba)	1%
Niacin (Vitamin B3)	1%
Tocopheryl Acetate (Vitamin E Acetate)	1%
Butylene Glycol	0.2%
Phenoxyethanol	0.2%

Methylparaben	0.2%
Butylparaben	0.2%
Ethylparaben	0.2%
Propylparaben	0.2%

#### 4 EXAMPLE 4

##### All-Day Hydrating Nourisher

Ginseng ( <u>Panax Ginseng</u> ) Berry Extract	9%
Water	53%
Shea Butter (Butyrospermum Parkii)	3.5%
Glycerin	3.5%
Cyclomethicone	3.5%
Glyceryl Stearate	3%
Stearic Acid	3%
Sodium Behenoyl Lactylate	3%
Grape (Vitis Vinifera) Seed Extract	3%
Ginseng (Panax Ginseng) Root Extract	3%
Avocado (Persea Gratissima)	1%
Cucumber (Cucumis Sativus)	1%
Jasmine (Jasminum Officinale)	1%
Orange (Citrus Aurantium Dulcis) Peel	1%
Flowery Knotweed (Polygonum Aviculare)	1%
Hibiscus Sabdariff	1%
Mulberry (Morus Alba) Leaf	1%
Pyridoxine (Vitamin B6)	1%
Riboflavin (Vitamin B2)	1%
Tocopheryl Acetate (Vitamin E Acetate)	1%
Pantothenic Acid (Provitamin B5)	1%
Xanthan Gum	0.2%
Carbomer	0.2%
Disodium Edta	0.1%

Phenoxyethanol	0.2%
Methylparaben	0.2%
Butylparaben	0.2%
Ethylparaben	0.2%
Propylparaben	0.2%
Triethanolamine	0.2%

## 5 EXAMPLE 5

### Time Signature Pure Ginseng Masque

Ginseng ( <u>Panax Ginseng</u> ) Berry Extract	62.9%
Ginseng (Panax Ginseng) Root Extract	5%
SD Alcohol 40B	3%
Glycerin	3%
Hybrid Sunflower (Helianthus Annuus) Oil	2%
Polyacrylamide	2%
C13-14 Isoparaffin	2%
Laureth-7	2%
Cyclomethicone	2%
Avocado (Persea Gratissima)	2%
Cucumber (Cucumis Sativus)	2%
Jasmine (Jasminum Officinale)	2%
Orange (Citrus Aurantium Dulcis) Peel	2%
Flowery Knotweed (Polygonum Aviculare)	1%
Hibiscus Sabdariff	1%
Mulberry (Morus Alba) Leaf	1%
Riboflavin (Vitamin B2)	1%
Tocopheryl Acetate (Vitamin E Acetate)	1%
Niacin (Vitamin B3)	1%
Pantothenic Acid (Provitamin B5)	1%
Disodium Edta	0.1%
Phenoxyethanol	0.2%

Methylparaben	0.2%
Butylparaben	0.2%
Ethylparaben	0.2%
Propylparaben	0.2%

6 EXAMPLE 6

Replenishing Masque for Normal Skin

Ginseng ( <u>Panax Ginseng</u> ) Berry Extract	10%
Water	39.9%
Glycerin	5%
Cyclomethicone	5%
Polyacrylamide	5%
C13-14 Isoparaffin	5%
Laureth-7	5%
Aluminum Starch Octenylsuccinate	5%
Hybrid Sunflower (Helianthus Annuus) Oil	5%
Grape (Vitis Vinifera) Seed Extract	2%
Ginseng (Panax Ginseng) Root Extract	1%
Avocado (Persea Gratissima)	1%
Cucumber (Cucumis Sativus)	1%
Jasmine (Jasminum Officinale)	1%
Orange (Citrus Aurantium Dulcis) Peel	1%
Flowery Knotweed (Polygonum Aviculare)	1%
Hibiscus Sabdariff	1%
Mulberry (Morus Alba) Leaf	1%
Riboflavin (Vitamin B2)	1%
Tocopheryl Acetate (Vitamin E Acetate)	1%
Niacin (Vitamin B3)	1%
Pantothenic Acid (Provitamin B5)	1%
Disodium Edta	0.1%
Phenoxyethanol	0.2%

Methylparaben	0.2%
Butylparaben	0.2%
Ethylparaben	0.2%
Propylparaben	0.2%

7 EXAMPLE 7

Deep Purifying Clay Masque

Ginseng ( <u>Panax Ginseng</u> ) Berry Extract	6.5%
Water	57.5%
Kaolin	7%
Glycerin	5%
Glyceryl Stearate SE	5%
Bentonite	3%
Ginseng (Panax Ginseng) Root Extract	3%
Avocado (Persea Gratissima)	1%
Cucumber (Cucumis Sativus)	1%
Jasmine (Jasminum Officinale)	1%
Orange (Citrus Aurantium Dulcis) Peel	1%
Flowery Knotweed (Polygonum Aviculare)	1%
Hibiscus Sabdariff	1%
Mulberry (Morus Alba) Leaf	1%
Riboflavin (Vitamin B2)	1%
Tocopheryl Acetate (Vitamin E Acetate)	1%
Niacin (Vitamin B3)	1%
Pantothenic Acid (Provitamin B5)	1%
Magnesium Aluminum Silicate	1%
Phenoxyethanol	0.2%
Methylparaben	0.2%
Ethylparaben	0.2%
Propylparaben	0.2%
Disodium Edta	0.2%

## 8 EXAMPLE 8

## Advanced Spot Control

Ginseng ( <u>Panax Ginseng</u> ) Berry Extract	11%
Water	61.4%
SD Alcohol 40B	7%
Glycerin	5%
Grape (Vitis Vinifera) Seed Extract	2%
Ginseng (Panax Ginseng) Root Extract	2%
Chrysanthemum Coccineum	1%
Cucumber (Cucumis Sativus)	1%
Sage (Salvia Officinalis)	1%
Grapefruit (Citrus Grandis) Peel	1%
Kiwi (Actinidia Chinensis)	1%
Lemon (Citrus Medica Limonum)	1%
Orange (Citrus Aurantium Dulcis) Peel	1%
Niacin (Vitamin B3)	1%
Folic Acid	1%
Tocopheryl Acetate (Vitamin E Acetate)	1%
Triclosan	1%
Carbomer	0.3%
Triethanolamine	0.3%

## 9 EXAMPLE 9

## Intensive Day Defense

Ginseng ( <u>Panax Ginseng</u> ) Berry Extract	5%
Water	40.5%
Octyl Methoxycinnamate	2%
Oxybenzone	2%
Avobenzone	2%

Phenylbenzimidazole Sulfonic Acid	2%
Aloe Barbadensis Gel	4%
Glycerin	4%
Octyl Stearate	3%
C12-15 Alkyl Bezoate	3%
Stearic Acid	3%
Glyceryl Stearate	3%
Isopropyl Palmitate	2.5%
Octocrylene	2%
Sodium Stearoyl Lactylate	2%
Grape (Vitis Vinifera) Seed Extract	2%
Ginseng (Panax Ginseng) Root Extract	2%
Avocado (Persea Gratissima)	1%
Cucumber (Cucumis Sativus)	1%
Jasmine (Jasminum Officinale)	1%
Pyridoxine (Vitamin B6)	1%
Riboflavin (Vitamin B2)	1%
Tocopheryl Acetate (Vitamin E Acetate)	1%
Ascorbic Acid (Vitamin C)	1%
Niacin (Vitamin B3)	1%
Triethanolamine	1%
Potassium Hydroxide	1%
Phenoxyethanol	0.2%
Methylparaben	0.2%
Butylparaben	0.2%
Ethylparaben	0.2%
Propylparaben	0.2%

#### 10 EXAMPLE 10

##### Body Wash

Ginseng ( <u>Panax Ginseng</u> ) Berry Extract	5%
--	----



Water	48%
Decyl Glucoside	6%
Aloe Barbadensis Gel	6%
PEG-120 Methyl Glucose Dioleate	6%
Ammonium Laureth Sulfate	5%
Disodium Cocoamphodiacetate	4%
Grape (Vitis Vinifera) Seed Extract	1%
Chrysanthemum Coccineum	1%
Cucumber (Cucumis Sativus) Sage	1%
Kiwi (Actinidia Chinensis)	1%
Lemon (Citrus Medica Limonum)	1%
Rose (Rosa Damascena)	1%
White Water Lily (Nymphaea Alba)	1%
Riboflavin (Vitamin B2)	1%
Tocopheryl Acetate (Vitamin E Acetate)	1%
PEG-7 Glyceryl Cocoate	1%
Cocamidopropyl Betaine	1%
Fragrance	0.2%
Phenoxyethanol	0.2%
Methylparaben	0.2%
Butylparaben	0.2%
Ethylparaben	0.2%
Propylparaben	0.2%

#### 11 EXAMPLE 11

##### Hydrating Exfoliant

Ginseng ( <u>Panax Ginseng</u> ) Berry Extract	9%
Water	44.5%
Disodium Laureth Sulfosuccinate	6%
Polyethylene	5%
Glycerin	5%

Cocamidopropyl Betaine	4.5%
Peg-120 Methyl Glucose Dioleate	4%
Triethanolamine	4%
Ginseng (Panax Ginseng) Root Extract	3%
Grape (Vitis Vinifera) Seed Extract	2%
Chrysanthemum Coccineum	1%
Cucumber (Cucumis Sativus)	1%
Sage (Salvia Officinalis)	1%
Grapefruit (Citrus Grandis) Peel	1%
Kiwi (Actinidia Chinensis)	1%
Lemon (Citrus Medica Limonum)	1%
Rose (Rosa Damascena)	1%
Algae	1%
White Water Lily (Nymphaea Alba)	1%
Niacin (Vitamin B3)	1%
Tocopheryl Acetate (Vitamin E Acetate)	1%
Polysorbate 20	1%
Benzophenone-4	0.2%
Phenoxyethanol	0.2%
Methylparaben	0.2%
Butylparaben	0.2%
Ethylparaben	0.2%
Propylparaben	0.2%
Carbomer	0.2%
Disodium Edta	0.2%

## 12 EXAMPLE 12

### Hair Conditioner

Ginseng ( <u>Panax Ginseng</u> ) Berry Extract	9%
Water	47%
Isopropyl Palmitate	6%

Behentrimonium Methosulfate	6%
Grape (Vitis Vinifera) Seed Extract	3%
Cactus (Cereus Gradiflorus) Stem	2%
Avocado (Persea Gratissima)	1%
Cucumber (Cucumis Sativus)	1%
Jasmine (Jasminum Officinale)	1%
Orange (Citrus Aurantium Dulcis) Peel	1%
Chrysanthemum Coccineum	1%
Pantothenic Acid (Provitamin B5)	1%
Phytantriol	1%
Folic Acid	1%
Biotin (Vitamin H)	1%
PG-Hydroxyethylcellulose Cocodimonium Chloride	1%
Tridecyl Stearate	1%
Neopentyl Glycol Disaprylate	1%
Tridecyl Trimellitate	1%
Silk Amino Acids	1%
Phenoxyethanol	0.2%
Methylparaben	0.2%
Butylparaben	0.2%
Ethylparaben	0.2%
Propylparaben	0.2%

### 13 EXAMPLE 13

#### All-Day Hydrating Nourisher for Oily Skin

Ginseng ( <u>Panax Ginseng</u> ) Berry Extract	10%
Water	52.8%
Glycerin	5%
Cyclomethicone	5%
Polyacrylamide	4%
C13-14 Isoparaffin	4%

Laureth-7	4%
Grape (Vitis Vinifera) Seed Extract	2%
Ginseng (Panax Ginseng) Root Extract	2%
Avocado (Persea Gratissima)	1%
Cucumber (Cucumis Sativus)	1%
Jasmine (Jasminum Officinale)	1%
Orange (Citrus Aurantium Dulcis) Peel	1%
Flowery Knotweed (Polygonum Aviculare)	1%
Hibiscus Sabdariff	1%
Tocopheryl Acetate (Vitamin E Acetate)	1%
Ascorbic Acid (Vitamin C)	1%
Folic Acid	1%
Acrylates Copolymer	0.5%
Isopropyl Palmitate	0.5%
Disodium Edta	0.2%
Phenoxyethanol	0.2%
Methylparaben	0.2%
Butlyparaben	0.2%
Ethylparaben	0.2%
Propylparaben	0.2%
Carbomer	0.2%
Triethanolamine	0.2%

#### 14 EXAMPLE 14

##### Time Signature, Ginseng Essence

Ginseng ( <u>Panax Ginseng</u> ) Berry Extract	60.3%
Ginseng (Panax Ginseng) Root Extract Extract	8%
Grape (Vitis Vinifera) Seed Extract	3%
Shea Butter (Butyrospermum Parkii)	3%
Glycerin	3%
Cyclomethicone	3%

Isopropyl Palmitate	2%
Glyceryl Stearate	2%
Stearic Acid	2%
Sodium Behenoyl Lactylate	1%
Avocado (Persea Gratissima)	1%
Cucumber (Cucumis Sativus)	1%
Jasmine (Jasminum Officinale)	1%
Orange (Citrus Aurantium Dulcis) Peel	1%
Flowery Knotweed (Polygonum Aviculare)	1%
Hibiscus Sabdariff	1%
Mulberry (Morus Alba) Leaf	1%
Pyridoxine (vitamin B6)	1%
Riboflavin (Vitamin B2)	1%
Tocopheryl Acetate (Vitamin E Acetate)	1%
Pantothenic Acid (Provitamin B5)	1%
Xanthan Gum	0.3%
Carbomer	0.3%
Disodium Edta	0.1%
Phenoxyethanol	0.2%
Methylparaben	0.2%
Butlyparaben	0.2%
Ethylparaben	0.2%
Propylparaben	0.2%
Triethanolamine	0.2%

#### 15 EXAMPLE 15

##### Tooth Paste:

Ginseng ( <u>Panax Ginseng</u> ) Berry Extract	4%
Stevia	25%
Deionized Water	23.6%
Hydrated Silica	20%

Sorbitol	18%
Ginseng	4%
Sodium Lauroyl Sarcosinate	1.5%
Flavor	1%
PEG-6	0.8%
Tetrasodium Pyrophosphate	0.5%
Cellulose gum	0.5%
Sodium Benzoate	0.5%
Triclosan	0.3%
Hydrogen Peroxide	0.3% of 35% actives

16 EXAMPLE 16

Revitalizing Facial Cleanser

Ginseng ( <u>Panax Ginseng</u> ) Berry Extract	3%
Cactus (Cereus Grandiflorus)	3%
Cactus (Cereus Grandiflorus) Fruit	3%
Water	54.5%
Sodium Cocoyl Isethionate	5%
Sodium Methyl Cocoyl Taurate	4%
PEG-8	4%
Octyldodecyl Benzoate	3.5%
Myristic Acid	3%
Glyceryl Stearate SE	3%
Ginseng (Panax Ginseng) Root Extract	3%
Chrysanthemum Coccineum	1%
Cucumber (Cucumis Sativus)	1%
Sage (Salvia Officinalis)	1%
Grapefruit (Citrus Grandis) Peel	1%
Kiwi (Actinidia Chinensis)	1%
Lemon (Citrus Medica LI)	1%
Algae	1%

White Water Lily (Nymphaea Alba)	1%
Niacin (Vitamin B3)	1%
Tocopheryl Acetate (Vitamin E Acetate)	1%
Butylene Glycol	0.2%
Phenoxyethanol	0.2%
Methylparaben	0.2%
Butylparaben	0.2%
Ethylparaben	0.2%
Propylparaben	0.2%

#### 17 EXAMPLE 17

##### All-Day Hydrating Nourisher

Ginseng ( <u>Panax Ginseng</u> ) Berry Extract	3%
Cactus (Cereus Grandiflorus) Extract	3%
Cactus (Cereus Grandiflorus) Fruit Extract	3%
Water	53%
Shea Butter (Butyrospermum Parkii)	3.5%
Glycerin	3.5%
Cyclomethicone	3.5%
Glyceryl Stearate	3%
Stearic Acid	3%
Sodium Behenoyl Lactylate	3%
Grape (Vitis Vinifera) Seed Extract	3%
Ginseng (Panax Ginseng) Root Extract	3%
Avocado (Persea Gratissima)	1%
Cucumber (Cucumis Sativus)	1%
Jasmine (Jasminum Officinale)	1%
Orange (Citrus Aurantium Dulcis) Peel	1%
Flowery Knotweed (Polygonum Aviculare)	1%
Hibiscus Sabdariff	1%
Mulberry (Morus Alba) Leaf	1%

Pyridoxine (Vitamin B6)	1%
Riboflavin (Vitamin B2)	1%
Tocopheryl Acetate (Vitamin E Acetate)	1%
Pantothenic Acid (Provitamin B5)	1%
Xanthan Gum	0.2%
Carbomer	0.2%
Disodium Edta	0.1%
Phenoxyethanol	0.2%
Methylparaben	0.2%
Butylparaben	0.2%
Ethylparaben	0.2%
Propylparaben	0.2%
Triethanolamine	0.2%

#### 18 EXAMPLE 18

##### Time Signature Pure Ginseng Cactus Masque

Cactus (Cereus Grandiflorus) Fruit Extract	27.9%
Ginseng ( <u>Panax Ginseng</u> ) Berry Extract	20%
Cactus (Cereus Grandiflorus) Extract	15%
Ginseng (Panax Ginseng) Root Extract Extract	5%
SD Alcohol 40B	3%
Glycerin	3%
Hybrid Sunflower (Helianthus Annuus) Oil	2%
Polyacrylamide	2%
C13-14 Isoparaffin	2%
Laureth-7	2%
Cyclomethicone	2%
Avocado (Persea Gratissima)	2%
Cucumber (Cucumis Sativus)	2%
Jasmine (Jasminum Officinale)	2%
Orange (Citrus Aurantium Dulcis) Peel	2%



Flowery Knotweed (Polygonum Aviculare)	1%
Hibiscus Sabdariff	1%
Mulberry (Morus Alba) Leaf	1%
Riboflavin (Vitamin B2)	1%
Tocopheryl Acetate (Vitamin E Acetate)	1%
Niacin (Vitamin B3)	1%
Pantothenic Acid (Provitamin B5)	1%
Disodium Edta	0.1%
Phenoxyethanol	0.2%
Methylparaben	0.2%
Butylparaben	0.2%
Ethylparaben	0.2%
Propylparaben	0.2%

#### 19 EXAMPLE 19

##### Replenishing Masque for Normal Skin

Ginseng ( <u>Panax Ginseng</u> ) Berry Extract	2%
Cactus (Cereus Grandiflorus)	3%
Cactus (Cereus Grandiflorus) Fruit	5%
Water	39.9%
Glycerin	5%
Cyclomethicone	5%
Polyacrylamide	5%
C13-14 Isoparaffin	5%
Laureth-7	5%
Aluminum Starch Octenylsuccinate	5%
Hybrid Sunflower (Helianthus Annuus) Oil	5%
Grape (Vitis Vinifera) Seed Extract	2%
Ginseng (Panax Ginseng) Root Extract	1%
Avocado (Persea Gratissima)	1%
Cucumber (Cucumis Sativus)	1%

Jasmine (Jasminum Officinale)	1%
Orange (Citrus Aurantium Dulcis) Peel	1%
Flowery Knotweed (Polygonum Aviculare)	1%
Hibiscus Sabdariff	1%
Mulberry (Morus Alba) Leaf	1%
Riboflavin (Vitamin B2)	1%
Tocopheryl Acetate (Vitamin E Acetate)	1%
Niacin (Vitamin B3)	1%
Pantothenic Acid (Provitamin B5)	1%
Disodium Edta	0.1%
Phenoxyethanol	0.2%
Methylparaben	0.2%
Butylparaben	0.2%
Ethylparaben	0.2%
Propylparaben	0.2%

## 20 EXAMPLE 20

### Deep Purifying Clay Masque

Ginseng ( <u>Panax Ginseng</u> ) Berry Extract	1%
Cactus (Cereus Grandiflorus)	3%
Cactus (Cereus Grandiflorus) Fruit	2.5%
Water	57.5%
Kaolin	7%
Glycerin	5%
Glyceryl Stearate SE	5%
Bentonite	3%
Ginseng (Panax Ginseng) Root Extract	3%
Avocado (Persea Gratissima)	1%
Cucumber (Cucumis Sativus)	1%
Jasmine (Jasminum Officinale)	1%
Orange (Citrus Aurantium Dulcis) Peel	1%

Flowery Knotweed (Polygonum Aviculare)	1%
Hibiscus Sabdariff	1%
Mulberry (Morus Alba) Leaf	1%
Riboflavin (Vitamin B2)	1%
Tocopheryl Acetate (Vitamin E Acetate)	1%
Niacin (Vitamin B3)	1%
Pantothenic Acid (Provitamin B5)	1%
Magnesium Aluminum Silicate	1%
Phenoxyethanol	0.2%
Methylparaben	0.2%
Ethylparaben	0.2%
Propylparaben	0.2%
Disodium Edta	0.2%

## 21 EXAMPLE 21

### Advanced Spot Control

Ginseng ( <u>Panax Ginseng</u> ) Berry Extract	5%
Cactus (Cereus Grandiflorus)	1%
Cactus (Cereus Grandiflorus) Fruit	5%
Water	61.4%
SD Alcohol 40B	7%
Glycerin	5%
Grape (Vitis Vinifera) Seed Extract	2%
Ginseng (Panax Ginseng) Root Extract	2%
Chrysanthemum Coccineum	1%
Cucumber (Cucumis Sativus)	1%
Sage (Salvia Officinalis)	1%
Grapefruit (Citrus Grandis) Peel	1%
Kiwi (Actinidia Chinensis)	1%
Lemon (Citrus Medica Limonum)	1%
Orange (Citrus Aurantium Dulcis) Peel	1%

Niacin (Vitamin B3)	1%
Folic Acid	1%
Tocopheryl Acetate (Vitamin E Acetate)	1%
Triclosan	1%
Carbomer	0.3%
Triethanolamine	0.3%

## 22 EXAMPLE 22

### Intensive Day Defense

Ginseng ( <u>Panax Ginseng</u> ) Berry Extract	2%
Cactus (Cereus Grandiflorus)	1%
Cactus (Cereus Grandiflorus) Fruit	2%
Octyl Methoxycinnamate	2%
Oxybenzone	2%
Avobenzone	2%
Phenylbenzimidazole Sulfonic Acid	2%
Water	45.5%
Aloe Barbadensis Gel	4%
Glycerin	4%
Octyl Stearate	3%
C12-15 Alkyl Bezoate	3%
Stearic Acid	3%
Glyceryl Stearate	3%
Isopropyl Palmitate	2.5%
Octocrylene	2%
Sodium Stearoyl Lactylate	2%
Grape (Vitis Vinifera) Seed Extract	2%
Ginseng (Panax Ginseng) Root Extract	2%
Avocado (Persea Gratissima)	1%
Cucumber (Cucumis Sativus)	1%
Jasmine (Jasminum Officinale)	1%

Pyridoxine (Vitamin B6)	1%
Riboflavin (Vitamin B2)	1%
Tocopheryl Acetate (Vitamin E Acetate)	1%
Ascorbic Acid (Vitamin C)	1%
Niacin (Vitamin B3)	1%
Triethanolamine	1%
Potassium Hydroxide	1%
Phenoxyethanol	0.2%
Methylparaben	0.2%
Butylparaben	0.2%
Ethylparaben	0.2%
Propylparaben	0.2%

## 23 EXAMPLE 23

### Body Wash

Ginseng ( <u>Panax Ginseng</u> ) Berry Extract	3%
Cactus (Cereus Grandiflorus)	3%
Cactus (Cereus Grandiflorus) Fruit	3%
Water	52%
Decyl Glucoside	6%
Aloe Barbadensis Gel	6%
PEG-120 Methyl Glucose Dioleate	6%
Ammonium Laureth Sulfate	5%
Disodium Cocoamphodiacetate	4%
Grape (Vitis Vinifera) Seed Extract	1%
Chrysanthemum Coccineum	1%
Cucumber (Cucumis Sativus) Sage	1%
Kiwi (Actinidia Chinensis)	1%
Lemon (Citrus Medica Limonum)	1%
Rose (Rosa Damascena)	1%
White Water Lily (Nymphaea Alba)	1%

Riboflavin (Vitamin B2)	1%
Tocopheryl Acetate (Vitamin E Acetate)	1%
PEG-7 Glyceryl Cocoate	1%
Cocamidopropyl Betaine	1%
Fragrance	0.2%
Phenoxyethanol	0.2%
Methylparaben	0.2%
Butylparaben	0.2%
Ethylparaben	0.2%
Propylparaben	0.2%

#### 24 EXAMPLE 24

##### Hydrating Exfoliant

Ginseng ( <u>Panax Ginseng</u> ) Berry Extract	2%
Cactus (Cereus Grandiflorus)	3%
Cactus (Cereus Grandiflorus) Fruit	4%
Water	44.5%
Disodium Laureth Sulfosuccinate	6%
Polyethylene	5%
Glycerin	5%
Cocamidopropyl Betaine	4.5%
PEG-120 Methyl Glucose Dioleate	4%
Triethanolamine	4%
Ginseng (Panax Ginseng) Root Extract	3%
Grape (Vitis Vinifera) Seed Extract	2%
Chrysanthemum Coccineum	1%
Cucumber (Cucumis Sativus)	1%
Sage (Salvia Officinalis)	1%
Grapefruit (Citrus Grandis) Peel	1%
Kiwi (Actinidia Chinensis)	1%
Lemon (Citrus Medica Limonum)	1%

Rose (Rosa Damascena)	1%
Algae	1%
White Water Lily (Nymphaea Alba)	1%
Niacin (Vitamin B3)	1%
Tocopheryl Acetate (Vitamin E Acetate)	1%
Polysorbate 20	1%
Benzophenone-4	0.2%
Phenoxyethanol	0.2%
Methylparaben	0.2%
Butylparaben	0.2%
Ethylparaben	0.2%
Propylparaben	0.2%
Carbomer	0.2%
Disodium Edta	0.2%

## 25 EXAMPLE 25

### Hair Conditioner

Ginseng ( <u>Panax Ginseng</u> ) Berry Extract	6%
Cactus (Cereus Grandiflorus)	6%
Cactus (Cereus Grandiflorus) Fruit	6%
Water	52%
Isopropyl Palmitate	6%
Behentrimonium Methosulfate	6%
Grape (Vitis Vinifera) Seed Extract	3%
Avocado (Persea Gratissima)	1%
Cucumber (Cucumis Sativus)	1%
Jasmine (Jasminum Officinale)	1%
Orange (Citrus Aurantium Dulcis) Peel	1%
Chrysanthemum Coccineum	1%
Pantothenic Acid (Provitamin B5)	1%
Phytantriol	1%

Folic Acid	1%
Biotin (Vitamin H)	1%
PG-Hydroxyethylcellulose Cocodimonium Chloride	1%
Tridecyl Stearate	1%
Neopentyl Glycol Disaprylate	1%
Tridecyl Trimellitate	1%
Silk Amino Acids	1%
Phenoxyethanol	0.2%
Methylparaben	0.2%
Butylparaben	0.2%
Ethylparaben	0.2%
Propylparaben	0.2%

## 26 EXAMPLE 26

### All-Day Hydrating Nourisher for Oily Skin

Ginseng ( <u>Panax Ginseng</u> ) Berry Extract	4%
Cactus (Cereus Grandiflorus)	2%
Cactus (Cereus Grandiflorus) Fruit	4%
Water	52.8%
Glycerin	5%
Cyclomethicone	5%
Polyacrylamide	4%
C13-14 Isoparaffin	4%
Laureth-7	4%
Grape (Vitis Vinifera) Seed Extract	2%
Ginseng (Panax Ginseng) Root Extract	2%
Avocado (Persea Gratissima)	1%
Cucumber (Cucumis Sativus)	1%
Jasmine (Jasminum Officinale)	1%
Orange (Citrus Aurantium Dulcis) Peel	1%
Flowery Knotweed (Polygonum Aviculare)	1%



Hibiscus Sabdariff	1%
Tocopheryl Acetate (Vitamin E Acetate)	1%
Ascorbic Acid (Vitamin C)	1%
Folic Acid	1%
Acrylates Copolymer	0.5%
Isopropyl Palmitate	0.5%
Disodium Edta	0.2%
Phenoxyethanol	0.2%
Methylparaben	0.2%
Butlyparaben	0.2%
Ethylparaben	0.2%
Propylparaben	0.2%
Carbomer	0.2%
Triethanolamine	0.2%

## 27 EXAMPLE 27

### Time Signature, Cactus Ginseng Essence

Cactus (Cereus Grandiflorus) Fruit Extract	45.3%
Ginseng ( <u>Panax Ginseng</u> ) Berry Extract	15%
Cactus (Cereus Grandiflorus) Extract	5%
Ginseng (Panax Ginseng) Root Extract	3%
Grape (Vitis Vinifera) Seed Extract	3%
Shea Butter (Butyrospermum Parkii)	3%
Glycerin	3%
Cyclomethicone	3%
Isopropyl Palmitate	2%
Glyceryl Stearate	2%
Stearic Acid	2%
Sodium Behenoyl Lactylate	1%
Avocado (Persea Gratissima)	1%
Cucumber (Cucumis Sativus)	1%

Jasmine (Jasminum Officinale)	1%
Orange (Citrus Aurantium Dulcis) Peel	1%
Flowery Knotweed (Polygonum Aviculare)	1%
Hibiscus Sabdariff	1%
Mulberry (Morus Alba) Leaf	1%
Pyridoxine (vitamin B6)	1%
Riboflavin (Vitamin B2)	1%
Tocopheryl Acetate (Vitamin E Acetate)	1%
Pantothenic Acid (Provitamin B5)	1%
Xanthan Gum	0.3%
Carbomer	0.3%
Disodium Edta	0.1%
Phenoxyethanol	0.2%
Methylparaben	0.2%
Butlyparaben	0.2%
Ethylparaben	0.2%
Propylparaben	0.2%
Triethanolamine	0.2%

## 28 EXAMPLE 28

### Tooth Paste:

Ginseng ( <u>Panax Ginseng</u> ) Berry Extract	3%
Cactus (Cereus Grandiflorus) Fruit	3%
Stevia	25%
Deionized Water	21.6%
Hydrated Silica	20%
Sorbitol	18%
Ginseng (Panax Ginseng) Root Extract	4%
Sodium Lauroyl Sarcosinate	1.5%
Flavor	1%
PEG-6	0.8%